OLIGHT

BALDR Pro R

MAGNETIC CHARGING WML FOR SHORT AND LONG SETUPS

*This information is for your reference on market planning only. Please DO NOT make it public.

MAX OUTPUT	MAX RUNTIME	MAX THROW
1,350 lumens	93 minutes	200 meters

BLACK | GUNMETAL GREY | DESERT TAN

WORLDWIDE 5,000 EVER MADE Limited Edition

MARKET APPLICATIONS:

Self-defense
Law Enforcement
Tactical

UPC

697237812458 6 (Black)
697237812459 3(Gunmetal Grey)
697237812460 9 (Desert Tan)

DESCRIPTION

The BALDR Pro R is the new rechargeable flagship product of the Baldr Series. It boasts a white light of max 1,350 lumens like the Baldr Pro, but also adds a GL beam (<5mW) for quick and accurate aiming. The GL beam emitter is integrated into the head of the light. This design leaves room for the charging port on the bottom of the light and supports a remote pressure switch. Powered by a 3.6V 1000mAh lithium polymer battery that can be recharged via the magnetic charging cable, this WML runs up to 93 minutes after being fully charged. The selector ring around the head allows you to easily choose between white light only, white light & GL beam combo or GL beam only. The Baldr Pro R includes two types of rail adapters to fit both Glock and Picatinny rails. With the quick-install system, you can easily attach and detach the light to your self-defense setups. The well-tested adjustable screws allow for easy zeroing and can withstand strong impacts without loosening. The ambidextrous rear switches allow for quick on/off or direct access to strobe. Powerful, precise, and versatile, the Baldr Pro R is an ideal addition to your setups.



BALDR Pro R

MAGNETIC CHARGING WML FOR SHORT AND LONG SETUPS

OLIGHT

FEATURES

- Featuring a max of 1,350 lumens white light with a 200-meter beam distance, it provides the ideal situational awareness you need.
- Integrated GL beam (<5mW) for quick and accurate aiming both during the day and night.
- A new mode selector ring to choose between white light only, GL beam only, or white light & GL beam combined.
- The built-in 3.6V 1000mAh lithium polymer battery can be charged via the MCC charging cable without the hassle of taking out the battery.
- The magnetic charging port also serves as a connection port for the optional remote pressure switch, making the light much more versatile.
- Both Glock and Picatinny-sized rail adapters are included for superb compatibility.
- The quick attach-and-release mounting system enables instant installation or removal.
- Dual ambidextrous switches for smooth momentary-on or constant-on activation by either hand with ease. Quick access to strobe by pushing both sides simultaneously.

OUTPUT

SPECIFICATIONS	MODE 1	MODE 2	STROBE
	1,350 lumens	300 lumens	13Hz at 1,350 lumens
(GL Beam ON)	1.5+38+10 minutes	85 minutes	
(GL Beam OFF)	1.5+40+13 minutes	93 minutes	
	200 meters	95 meters	
	10,000 cd	2,256 cd	

*All data above are test results according to ANSI/NEMA FL 1-2009 standards.

WATER RESISTANT
IPX4

DROP TEST

COMPLIANCE

CE
RoHS

olightworld.com © OLIGHT 11/08/21 V1

Made in China

Note:There are slight differences between the picture and the real item caused by light color temperature. All the pictures are for reference only.

LIGHT SOURCE

High Performance CW LED

DIMENSIONS

Length: 3.74in/95mm
Width: 1.44in/36.6mm
Height: 1.34in/34.1mm

WEIGHT

4.44oz/126g (Including Battery)

BODY MATERIAL

Aluminum Alloy

POWERED BY

3.6V 1000mAh Rechargeable Lithium Polymer Battery (Built-in)

WARRANTY

Olight's 2-Year Warranty
Visit: https://olightworld.com/olight-warranty

IN THE BOX

BALDR Pro R (Battery Built-in) x 1
Picatinny (MIL-STD-1913) Rail Mount Adapter x 1
Rail Adapter Screw x 2
Adjustable Screw x 2
H1.5 Allen Wrench x 1
MCC 1A USB Magnetic Charging Cable x 1
User Manual x 1

OPTIONAL ACCESSORY

Magnetic Remote Pressure Switch (RPL-7) x1